

## Bean-to-Cup Single-Serve **Coffee Machine**

- ✓ ***Adjustable Recipes***
- ✓ ***Paper-less Brew Process***
- ✓ ***Easy Maintenance***
- ✓ ***Market Versatility***



## Why Bean-to-Cup?

- Fresh and quick
- Cuts down waste
- Environmentally friendly compared to prepackaged single cup brewer
- Reduces operating expenses



## Features and Benefits



- Outstanding aroma and luxurious taste
- 20+ Adjustable parameters for specialty coffee excellence
- Reduced maintenance, utilizing stainless mesh filter, instead of paper, 10K brew cycles\*
- Simple button operation
- Vend counter for scheduled preventive maintenance
- Internal message display to assist machine diagnostics
- Optional remote monitoring through cellular communications
- Configurable for iced-coffee option
- Hot water only dispensing
- Lockable bean hoppers
- Humidity control system
- Dispense door lock

\* Replace after 10K brewing cycle or 1 year



## Easy Maintenance

- Programmable daily auto-rinse function
- Quick rinse at conclusion of each brew cycle
- Entire brewing module removable for cleaning
- Removable mesh filter
- Removable bean hoppers





## Proven Grinder Technology

- Gear driven low-speed grinding reduces bean oxidation and loss of aroma
- Consistent grind profile results in quality extraction
- Built-in humidity control system minimizes caking
- Grind profile adjustability for recipe development




## Special Brewing Cycle

1. Turbulence, air infused agitation controls extraction
2. Steeping - Sealed brewing chamber for maximum aroma
3. Air pressure extraction - Replaces troublesome vacuum system
4. Brew cylinder rinse - Auto-run at the conclusion of each brew cycle to maintain sanitation and quality

## Market Versatility

- Specialty Roaster Cafes
- Contract Food Services
- Office Coffee Services
- Concierge Services
- Hospital Beverage Stations
- Corporate Pantry Locations
- Convenience Stores
- Fine Dining
- and more!





## Proven Record of Bean-to-Cup Technology

For over 40 years, Fuji Electric has deployed thousands of bean-to-cup units globally

## Specifications

<b>Category</b>	Commercial-Grade Bean-to-Cup Coffee Brewer
<b>Dimensions (inch) Weight</b>	Unit Dimensions: D 23.6" x W 15.8" x H 37"( Operational Clearance 40") (600mm x 400mm x 825mm (1,016mm ) Machine Weight: 119lbs  Shipping Dimensions: D 41.7" x W 25.4" x H 34.8" Shipping Weight: 134.5 lbs.
<b>Drink Label</b>	Customizable Graphics
<b>Bean Capacity</b>	Coffee Beans (Up to 2 varieties) 2.5 [lbs] x 2 (Approximately 55 cups x 2)*
<b>Coffee Grinder</b>	Gear driven conical cutting burr grinder
<b>Coffee Brewer</b>	"Drip" Type with SS Mesh Filter
<b>Hot Water Tank</b>	Baffle 101 oz (3L) 1200W element
<b>Water Supply</b>	Plumbed Connection (3/4 NPS-H) to City Water PSI 10-60 recommended
<b>Power Supply</b>	Single Phase AC 120V ±10V 15A ( 50 / 60 Hz)
<b>Selection Button Options</b>	2 bean selections with 4 recipe selections
<b>Waste Container Capacity</b>	30 Brew Cycles* Waste chute panel optional

*\*Based on Calculation using 15 g / cup of coffee beans*



Fuji Electric Corp. of America  
50 Northfield Ave. Edison, NJ 08837  
Phone: 732-560-9410  
[www.americas.fujielectric.com](http://www.americas.fujielectric.com)  
Information in this catalog is subject to change without notice



**Intertek**  
NSF4: 2016  
Control #: 5004523



**Intertek**  
UL 197, UL763  
Control #: 5004523